

Cambridge Reactor Design

Unit D2


Brookfield Business Centre
Twentyence Road, Cottenham
Cambridge, CB24 8PS

T +44 (0) 1954 252522

F +44 (0) 1954 252566

E sales@crduk.com

W www.crduk.com




SIZE

CAMBRIDGE REACTOR DESIGN LTD
DRAWING : 5/32" CHECK VALVE
PART NUMBER 12130

Providing solutions globally in: • Batch and continuous chemistry • Downstream processing • Intelligent vision systems • Robot assistants • Bespoke engineering and automation

Technical Information

Designation	Tube with non return valve
Construction form	5/32" OD, 15mm long
Material	316 Stainless Steel
Pressure rating	100 barg
Non-return valve	
Nominal flow of air with the pressure drop across the valve of 1 barg	10L/min
Nominal flow of water with the pressure drop across the valve of 1 barg	0.3L/min
Cracking pressure	0.1 barg and 1.0 barg
Seal	FKM (Viton™)
Operating temperature range	-20C to 150C



Cambridge Reactor Design

Unit D2


Brookfield Business Centre
Twentyence Road, Cottenham
Cambridge, CB24 8PS

T +44 (0) 1954 252522

F +44 (0) 1954 252566

E sales@crduk.com

W www.crduk.com



Providing solutions globally in: • Batch and continuous chemistry • Downstream processing • Intelligent vision systems • Robot assistants • Bespoke engineering and automation